

TJ MACHINE &

TOOL LTD.

700 W. Main Street Azle, Texas 76020
Machine and Cutting Tool Sales 817/444-5540
Fax 817/444-0263 www.tjmach.com



**INDEXABLE END MILL
WITH R-8 SHANK**

**“SPECIAL
PURCHASE”**

SAVE

Special pricing available while supply last!

Catalog Number	Insert	List Price	Sale Price	Diameter	Shank Diameter
TPR-R8	TPG 322	\$140.50	\$117.18	1 ¼" 2FL	R-8
TPR-R8	TPG 322	\$150.10	\$122.50	1 ½" 3FL	R-8
TPR-R8	TPG 322	\$160.68	\$131.25	2" 3FL	R-8
TPG 322 C-5		\$3.50	\$2.48		
TPG 322 TIN CTD		\$4.88	\$3.46		

- NOTES:
- (1) Indexable End Mills for slotting, shoulder milling and plane milling.
 - (2) Uses inexpensive TPU/TPG inserts.

TJ MACHINE &

TOOL LTD.

700 W. Main Street Azle, Texas 76020
Machine and Cutting Tool Sales 817/444-5540
Fax 817/444-0263 www.tjmach.com



AP16-90D SQUARE SHOULDER INDEXABLE END MILL

“SPECIAL PURCHASE”

SAVE



Special pricing available while supply last!

Catalog Number	Insert	List Price	Sale Price	Diameter	Shank Diameter
AP16-90D	APKT1604	\$162.70	\$131.25	1" 2FL	1"
AP16-90D	APKT1604	\$210.80	\$140.64	1 1/4" 2FL	1 1/4"
AP16-90D	APKT1604	\$261.10	\$187.50	1 1/4" 3FL	1 1/4"
AP16-90D	APKT1604	\$356.50	\$249.39	2.0" 4FL	2.0"
APKT1604		\$13.00	\$8.45		
BUY ALL FOUR	APKT1604	\$991.11	\$600.00	1", 1 1/4", 1 1/2", 2.0"	

NOTES:

- (1) Indexable End Mills for slotting, shoulder milling and plane milling.
- (2) Outstanding chip control.
- (3) AP16 Coated Insert.
- (4) Insert geometry allows for faster speed and feed.

TJ MACHINE &

TOOL LTD.

700 W. Main Street Azle, Texas 76020
Machine and Cutting Tool Sales 817/444-5540
Fax 817/444-0263 www.tjmach.com



HI SHEAR HEAVY DUTY INDEXABLE 45 DEGREE FACE MILL

“SPECIAL PURCHASE”

SAVE



Special pricing available while supply last!

Catalog Number	Insert	List Price	Sale Price	Diameter	Bore Diameter
SE 545 3"	SEKN 53	\$240.50	\$178.14	3" 5FL	1"
SE 545 5"	SEKN 53	\$410.40	\$304.68	5" 6FL	1 1/2"
SEKN 53 AFTN		\$15.75	\$12.60		

- NOTES:
- (1) Indexable Face Mill for heavy metal removal.
 - (2) Outstanding chip control.
 - (3) SEAN 53 AFTN hi shear insert.
 - (4) Insert geometry allows for faster speed and feed.